
Nordic Cabinet Ordering Key

ND-2422850-MG-242-4152-B2A


Three Phase Sectionalizing Cabinet




3 PhaseND-2422850-MG-242-X-B2A					
Amp	kV	No. of Points	Hubbell	Elastimold	Cooper
200	15	2	215J2U	164J2-5	LJ215C2U
		3	215J3U	164J3-5	LJ215C3U
		4	215J3U	164J4-5	LJ215C4U
	25	2	225J2U	274J2-5	LJ225C2U
		3	225J3U	274J3-5	LJ225C3U
		4	N/A	N/A	N/A
	35	2	N/A	373J2-5	LJ235C2U
		3	N/A	373J3-5	N/A
		4	N/A	N/A	N/A
600	15/25	2	625J2U	K650J2-5	DJ625A2U
		3	625J3U	K650J3-5	DJ625A3U
		4	N/A	N/A	N/A
	35	2	635J3U	750J2-5	DJ635A2U
		3	635J4U	750J3-5	N/A
		4	N/A	N/A	N/A

^{*}This cabinet will accommodate 200Amp taps off the 600Amp deadbreak junction.


See the following pages showing the ND-2422850-MG-242-X-B2A accommodating loadbreak junctions with U-Straps from various manufacturers.



Elastimold 200 Amp 15kV with U-straps 164J4-5 3.25" spacing between interfaces




Elastimold 200 Amp 25kV with U-straps 274J3-5 4" spacing between interfaces




Elastimold 200 Amp 35kV with U-straps 374J3-5 4" spacing between interfaces



Cooper 200 Amp 35kV with U-straps LJ235C2U 5" spacing between interfaces



Elastimold 600 Amp 15-25kV with U-straps K650J3-5 4" spacing between interfaces



Elastimold 600 Amp 35kV with U-straps 750J3-5 4" spacing between interfaces